

COUNTY OF LEXINGTON
Procurement Services
212 South Lake Drive, Suite 503, Lexington, SC 29072
Ph: (803) 785-8319 / Fax: (803) 785-2240

INVITATION FOR BIDS

BID NUMBER: B15007-07/23/14S DATE: June 20, 2014

OPENING DATE AND TIME: *July 23, 2014 @ 4:00 PM E.S.T.*

ADDRESS: Lexington County Procurement Office
County Administration Bldg., 5th floor
212 South Lake Drive, Suite 503, Lexington SC 29072

MAILING ADDRESS: Lexington County Procurement Office
County Administration Bldg., 5th floor
212 South Lake Drive, Suite 503, Lexington SC 29072

PROCUREMENT FOR: **HOUSING REHABILITATION PROJECT: 312 OLIVER STREET, WEST COLUMBIA, SC 29169**

Subject to the conditions, provisions and the enclosed specifications, sealed bids will be received at this office until the stated date and time and then publicly opened. Any bid received after the scheduled deadline, will be immediately disqualified. The county assumes no responsibility for delivery of bids which are mailed. No Faxed Bids Will Be Permitted.

IT IS REQUIRED THAT THE BID NUMBERS MUST BE SHOWN ON THE OUTSIDE OF ENVELOPE.
ANY ENVELOPE THAT DOES NOT SHOW BID NUMBERS WILL BE RETURNED
TO THE VENDOR

DIRECT ALL INQUIRES TO: _____

Angela M. Seymour
Procurement Officer

NOTICE TO BIDDERS: There will be a Mandatory Pre-Bid Conference on July 10, 2014 @ 2:30 PM at 312 Oliver Street, West Columbia, SC 29169. The Mandatory Pre-Bid Conference will start promptly at 2:30 PM and any persons arriving late will be deemed non-responsible. Due to the importance of all bidders having a clear understanding of the scope and requirements for this contract, *attendance at this meeting will be a prerequisite for bidding on this contract.* Therefore, bids will be considered only from those bidders who are represented at this pre-bid conference. Attendance at the conference will be evidenced by the representative's signature on the attendance roster. It may be helpful to bring the Invitation to Bid with you. Any changes that may be agreed upon as a result of this conference will be noted in an amendment to the bid invitation and mailed to all attendees. Each bidder shall fully acquaint himself with conditions relating to the scope and restrictions attending the execution of the work under the conditions of this bid. The failure or omission of a bidder to acquaint himself with existing conditions shall in no way relieve him of any obligation with respect to this bid or to the contract. All amendments to and interpretations of this solicitation shall be in writing and issued by the Procurement Manager of the County. Lexington County shall not be legally bound by any amendment or interpretation that is not in writing. **BIDS WILL NOT BE CONSIDERED FROM ANY VENDOR THAT OWES DELINQUENT TAXES TO THE COUNTY OF LEXINGTON.**

If downloading this solicitation from our website or alternate internet location, it is the responsibility of the bidder to email aseymour@lex-co.com to be registered as a potential bidder to receive any subsequent amendments.

Deadline for questions is July 14, 2014 at 4:00 p.m. All questions must be submitted in writing.

Jeffrey A. Hyde, CPPB
Procurement Manager

SOLICITATION #: B15007-07/23/14S

PROCUREMENT: HOUSING REHABILITATION PROJECT: 312 OLIVER STREET, WEST COLUMBIA, SC 29169

"NO BID" RESPONSE FORM

To submit a "No Bid" response for this project, this form must be completed for your company to remain on our bidders list for commodities/services referenced. If you do not respond your name may be removed from this bidders list. In order to ensure that the County file has current information, or if you wish to be added to Lexington County's Vendor Listing, you must also return the Certificate of Familiarity form completed in its entirety.

Note: Please show the solicitation number on the outside of the envelope.

Please check statement(s) applicable to your "No Bid" response --

- Specifications are restrictive; i.e. geared toward one brand or manufacturer only (explain below).
- Specifications are ambiguous (explain below).
- We are unable to meet specifications.
- Insufficient time to respond to the solicitation.
- Our schedule would not permit us to perform.
- We are unable to meet bond requirements.
- We are unable to meet insurance requirements.
- We do not offer this product or service.
- Remove us from your vendor list for this commodity/service.
- Other (specify below).

Comments:

Company Name (as registered with the IRS)

Authorized Signature

Correspondence Address

Printed Name

City, State, Zip

Title

E-mail Address (Please Print)

Date

_____/_____
Telephone Fax

INSTRUCTIONS TO BIDDERS

1. Only one copy of bid invitation is required, unless otherwise stated.
2. Bids, amendments thereto or withdrawal request must be received by the time advertised for bid openings to be timely filed. It is the vendor's sole responsibility to insure that these documents are received by the Procurement Office at the time indicated in the bid document.
3. When specifications or descriptive papers are submitted with the bid invitation, enter bidder's name thereon.
4. Submit your signed bid on the forms provided. Show bid number on envelope as instructed. Lexington County assumes no responsibility for unmarked or improperly marked envelopes. Unsigned bids will be rejected.
5. Bidders must clearly mark as "Confidential" each part of their bid which they consider to be proprietary information that could be exempt from disclosure under Section 30-4-4C Code of Laws of South Carolina, 1976, (1986 Cum Supp) Freedom of Information Act. The County reserves the right to determine whether this information should be exempt from disclosure and no legal action may be brought against the County or its agents for its determination in this regard.
6. By submission of a bid, you are guaranteeing that all goods and services meet the requirements of the solicitation during the contract period.
7. This solicitation does not commit the County of Lexington to award a contract, to pay any cost incurred in the preparation of the bid, or to procure or contract for goods or services listed herein.
8. **CORRECTION OF ERRORS ON THE BID FORM:** All prices and notations shall be printed in ink or typewritten. Errors should be crossed out, corrections entered and initialed by the person signing the bid. Erasures or use of typewriter correction fluid may be cause for rejection. No bid shall be altered or amended after specified time for opening.
9. **BIDDERS SCHEDULE:** Enter the manufacturer, brand, and model/catalog number, as applicable, and your bid price in the space provided on the bidders schedule. Additional pages may be attached, when applicable, for alternates, etc.
10. **NOTIFICATION:** In order to receive a copy of the bid tabulation, you must enclose a self addressed stamped envelope. Intent to Award and/or Statement of Award will be posted on the Lexington County web site at www.lex-co.com.
11. **RIGHT TO PROTEST:** Any prospective bidder, offeror, or contractor, who is aggrieved in connection with the solicitation of a contract shall protest in writing to the Procurement Manager within ten (10) calendar days of the date of issuance of the Invitation to Bid, Requests for Proposals or other solicitation documents, whichever is applicable, or any amendment thereto, if the amendment is at issue. Any actual bidder, offeror, or contractor, who is aggrieved in connection with the intended award or award of a contract, shall protest in writing to the procurement manager within ten (10) calendar days of the notification of intent to award or statement of award.

12. **PROTEST PROCEDURE:** A protest shall be in writing, submitted to the procurement manager, and shall set forth the specific grounds of the protest with enough particularity to give notice of the issues to be decided.
13. **QUESTIONS REGARDING SPECIFICATIONS AND/OR THE BIDDING PROCESS:**
 - To ensure fair consideration for all bidders, the County prohibits any type of communications to or with any department, employee, or County official during the solicitation process, except as provided on page one of the solicitation. This includes any communications initiated by a bidder to any County Official or employee evaluating or considering the bidder, prior to the time an award decision has been made public.
 - Any communications between the bidder and the County shall be initiated by the Procurement Office or the appropriate County representative in order to obtain necessary information or clarification needed to develop a proper and accurate evaluation of the bid. **Any communications initiated by a bidder shall be grounds for disqualifying the offending bidder from consideration for award of the bid and/or any future solicitations.**
 - It will be the sole responsibility of the bidder to contact the Procurement Office prior to submitting a bid to ascertain if any amendments or addendums have been issued in order to obtain all such documentation, and to return the executed documentation with their bid.

GENERAL PROVISIONS

1. The County of Lexington reserves the right to reject any and all bids, to cancel a solicitation, and to waive any technicality if deemed to be in the best interest of the county.
2. Unit prices will govern over extended prices unless otherwise stated in this bid invitation.
3. **PROHIBITION OF GRATUITIES:** Amended section 8-13-700 and 705 of the 1976 Code of Laws of South Carolina states: "Whoever gives or offers to any public official or public employee any compensation including a promise of future employment to influence his action, vote, opinion or judgment as a public official or public employee or such public official solicits or accepts such compensation to influence his action, vote, opinion or judgment shall be subject to the punishment as provided by Section 16-9- 210 and Section 16-9-220."
4. **BIDDERS QUALIFICATION:** Bidders must, upon request of the county, furnish satisfactory evidence of their ability to furnish products or services in accordance with the terms and conditions of these specifications. The County reserves the right to make the final determination as to the bidder's ability to provide the products or services requested herein.
5. **BIDDERS RESPONSIBILITY:** Each bidder shall fully acquaint himself with conditions relating to the scope and restrictions attending the execution of the work under the conditions of this bid. It is expected that this will sometimes require on-site observation. The failure or omission of a bidder to acquaint himself with existing conditions shall in no way relieve him of any obligation with respect to this bid or to the contract.

6. **AWARD CRITERIA:** The contract shall be awarded to the lowest responsible and responsive bidder(s) whose bid meets the requirements and criteria set forth in the Invitation for Bid. The award may be made to one or a multiple of contractors; whichever is in the best interest of the County, or unless otherwise stated on bidders schedule.
 - 6.1 All things considered equal, tied bids will be resolved by the flip of the coin, or to the Lexington County contractor, whichever the case may be.
7. **WAIVER:** The County reserves the right to waive any Instruction to Bidders, General or Special Provisions, General or Special Conditions, or specifications deviation if deemed to be in the best interest of the county.
8. **COMPETITION:** This solicitation is intended to promote competition. If any language, specifications, terms and conditions, or any combination thereof restricts or limits the requirements in this solicitation to a single source, it shall be the responsibility of the interested vendor to notify the Procurement Services Office in writing within five (5) days prior to the opening date. The solicitation may or may not be changed but a review of such notification will be made prior to the award.
9. **REJECTION:** Lexington County reserves the right to reject any bid that contains prices for individual items or services that are inconsistent or unrealistic when compared to other prices in the same or other bids or ambiguous bids which are uncertain as to terms, delivery, quantity, or compliance with specifications may be rejected or otherwise disregarded if such action is in the best interest of the county.

BIDS WILL NOT BE CONSIDERED FROM ANY VENDOR THAT OWES DELINQUENT TAXES TO THE COUNTY OF LEXINGTON.

GENERAL CONDITIONS

1. **DEFAULT:** In case of default by the contractor, the county reserves the right to purchase any or all items in default in the open market, charging the contractor with any excessive costs. Should such charge be assessed, no subsequent bids will be considered or purchase orders issued to the defaulting contractor until the assessed charge has been satisfied.
2. **NON-APPROPRIATION:** Any contract entered into by the County resulting from this bid invitation shall be subject to cancellation without damages or further obligation when funds are not appropriated or otherwise made available to support continuation of performance in a subsequent fiscal period or appropriated year.
3. **INDEMNIFICATION:** The contractor agrees to indemnify and save harmless the County of Lexington and all County officers, agents and employees from claims, suits, actions, damages and costs of every name and description, arising out of or resulting from the use of any materials furnished by the Contractor, provided that such liability is not attributable to negligence on the part of the county or failure of the county to use the materials in the manner outlined by the Contractor in descriptive literature or specifications submitted with the Contractor's bid.
4. **CONTRACT ADMINISTRATION:** Questions or problems arising after award of this contract shall be directed to the Procurement Officer. Copies of all correspondence concerning this contract shall be sent to the Procurement Manager, 212 South Lake Drive, Suite 503, Lexington, SC 29072. All change orders must be authorized in writing by the Procurement Manager. Lexington County shall

not be bound to any change in the original contract unless approved in writing by the Procurement Manager.

5. **PUBLICITY RELEASES:** Contractor agrees not to refer to award of this contract in commercial advertising in such a manner as to state or imply that the products or services provided are endorsed or preferred by the User. The contractor shall not have the right to include the county's name in its published list of customers without prior approval of the county. With regard to news releases, only the name of the County, type and duration of contract may be used and then only with prior approval of the county. The contractor also agrees not to publish, or cite in any form, any comments or quotes from the County Staff unless it is a direct quote from the Public Information Officer.
6. **QUALITY OF PRODUCT:** Unless otherwise indicated in this bid it is understood and agreed that any items offered or shipped on this bid shall be new and in first class condition unless otherwise indicated herein.
7. **S.C. LAW CLAUSE:** Upon award of a contract under this bid, the person, partnership, association or corporation to whom the award is made must comply with the laws of South Carolina which require such person or entity to be authorized and/or licensed to do business with this State. Notwithstanding the fact that applicable statutes may exempt or exclude the successful bidder from requirements that it be authorized and/or licensed to do business in this State, by submission of this signed bid, the bidder agrees to subject himself to the jurisdiction and process of the courts of the State of South Carolina as to all matters and disputes arising or to arise under the contract and the performance thereof, including any questions as to the liability for taxes, licenses, or fees levied by the State.
8. **ATTORNEYS FEES:** In the event that the County is required and shall bring a suit or action to compel performance of or recover for any breach of any stipulation, covenant, term or condition of a resulting contract, The County may seek attorneys fees from Contractor and Contractor will pay to County such attorneys fees as the court may award. Otherwise, attorneys fees in connection with any suit or action hereunder will be borne by the parties experiencing said expenses.
9. **ASSIGNMENT:** No contract or its provisions may be assigned, sublet, or transferred without the written consent of the Procurement Manager.
10. **AFFIRMATIVE ACTION:** Contractor agrees that it will not discriminate in hiring, promotion, treatment, or other terms and conditions of employment based upon race, sex, national origin, age, disability, or in any way violation of Title VII of 1964 Civil Rights Act and amendments or the South Carolina Human Affairs Law, except as permitted by said laws.
11. **BIDDING CONDITION OF PRICE:** All bid prices submitted shall remain effective for a minimum period of 90 days, unless otherwise stated. The county reserves the right to make additional purchases at the submitted bid prices, during the specified period.
12. **7% S.C. SALES TAX:** The County shall add 7% sales tax to all orders; however lump sum bids shall include sales tax in bid price unless otherwise noted. ***By submission of a signed bid, this will certify to the County your compliance.***

Forms to register for all taxes administered by the South Carolina Department of Revenue may be obtained by calling the License and Registration Section at (803)898-5872 or by writing to the South Carolina Department of Revenue, Registration Unit, Columbia, South Carolina 29214-0140.

13. PAYMENT TERMS: Payment of invoices shall be due within thirty (30) days after receipt of an accurate, undisputed, and properly submitted invoice to the County after acceptance of completed order/project. Early payment discount, if available, will be calculated from date of acceptance. Application for payment shall reflect services completed through the last day of the month. ***There will be no exceptions to these payment terms unless approval is obtained in writing from the Procurement Manager prior to bid opening date.***
14. BID REQUIREMENTS: Bid requirements on the equipment specified are not intended to be restrictive to potential bidders, but indicate the required features for satisfactory performance. Lexington County will determine if minor deviations from these features are acceptable.
15. DEVIATIONS FROM SPECIFICATIONS: Any deviation from specifications indicated herein should be clearly pointed out; otherwise, it will be considered that items offered are in strict compliance with these specifications, and successful bidder will be held responsible therefor. Deviations should be explained in detail on separate attached sheet(s). The listing of deviations, if any, is required but will not be construed as waiving any requirements of the specifications. Deviations found in the evaluation of the bid and not listed may be cause for rejection. Bidders offering substitute or equal items should provide information sufficient enough to determine acceptability of item offered.
16. CONTRACT: This bid and submitted documents, when properly accepted by Lexington County along with a written purchase order, shall constitute a contract equally binding between the successful offeror, and Lexington County. No different or additional terms will become a part of this contract with the exception of a Change Order.
17. CHANGE ORDERS: No oral statement of any person shall modify or otherwise change, or affect the terms, conditions or specifications stated in the resulting contract. All change orders to the contract will be made in writing by the Procurement Manager.
18. AMENDMENTS: All amendments to and interpretations of this solicitation shall be in writing and issued by the Procurement Manager of Lexington County. Lexington County shall not be legally bound by any amendment or interpretation that is not in writing.
19. BID EVALUATION: Bids received will be evaluated by the Procurement Manager or designee. However, based on bid total, final decision for bid award may rest with the Lexington County Council.
Factors to be considered during the evaluation process include, but are not limited to:
19.1 Cost.
19.2 Reputation and dependability of the contractor.
20. ARBITRATION: Under no circumstances and with no exception will Lexington County act as arbitrator.
21. DELIVERY: Lexington County requires that delivery be made to specified destination within the shortest time frame possible. Delivery shall arrive between the hours of 8:00 a.m. and 4:30 p.m., Monday through Friday, provided that such day is not a legal holiday. The current purchase order number must be indicated on all delivery tickets.

22. SHIPPING: All deliveries shall be shipped F.O.B. point Destination-freight prepaid, the seller pays and bears all freight charges; collect shipments will not be accepted. It is agreed by the parties hereto that delivery by the contractor to the common carrier does not constitute delivery to the County. Any claim for loss or damage shall be between the contractor and the carrier.
23. "OR APPROVED EQUAL": Certain processes, types of equipment or kinds of material are described in the specifications and/or on the drawings by means of trade/brand names and catalog numbers. In each instance where this occurs, it is understood and inferred that such description is followed by the words "or approved equal". Such method of description is intended merely as a means of establishing a standard of comparability. However, the Owner reserves the right to select the items which, in the judgment of the Owner, are best suited to the needs of the Owner based on price, quality, service, availability and other relative factors. Bidders should indicate brand name, model, model number, size, type, weight, color, etc., of the item bid, if not exactly the same as the item specified. Vendor's stock number or catalog number is not sufficient to meet this requirement. If any bidder desires to furnish an item different from the specifications, vendor shall submit along with the bid, the information, data, pictures, designs, cuts, etc., of the material they plan to furnish so as to enable the Owner to compare the material specified; and, such material shall be given due consideration. The Owner reserves the right to insist upon, and receive items as specified if the submitted items do not meet the Owner's standards for acceptance.
24. ALTERNATE BIDS: Bidders wishing to submit an alternate for consideration that does not meet the county specifications (or approved deviations), must submit their proposal as an alternate bid. ***If any vendor submits alternate bid(s) for any item(s), descriptive supporting literature must be included with bid package. Failure to submit such literature for alternate item(s) will result in non-consideration for said item(s).***
25. PROMPT PAYMENT DISCOUNT TERMS: Prompt payment discount terms will be calculated from the point of complete order acceptance for services and/or commodities ordered.
26. DRUG-FREE WORKPLACE: By submittal of this bid, you are certifying that you will comply with Title 44, Code of Laws of South Carolina, 1976, Section 44-107-30.
27. LIFE CYCLE: In accordance with the South Carolina Energy Independence and Sustainable Construction Act of 2007, if applicable to the bid, the vendor must provide in attached bid documents the life cycle analysis cost for the span of equipment's use. This technique will compare the cost and benefits at the normal industry and regulatory standards as applicable.
28. ILLEGAL IMMIGRATION & PUBLIC CONTRACTS: "In accordance with the South Carolina Illegal Immigration Reform Act, 2008, Act No. 280. Section 3 of this Act added to Chapter 14 to Title 8 of the South Carolina Code of Laws prohibits covered persons from entering into covered contracts unless the contractor agrees either (a) to verify all new employees through the federal work authorization program [and requires the same from subcontractors and sub-subcontractors] or (b) to employ only qualifying workers. Effectively, the Act also requires contractors to agree to provide any documentation required to establish either (a) that the Act does or does not apply to the contractor, subcontractor, or sub-subcontractor; or (b) that the contractor, and any subcontractor or sub-subcontractor, are in compliance with Section 3 of the Act."
29. NO CONTACT POLICY: After the date and time established for receipt of proposals by the County, any contact initiated by any offeror with any County representative, other than the Procurement

Officer listed herein, concerning this request for proposals is prohibited. Any such unauthorized contact may cause the disqualification of the offeror from this procurement transaction.

30. TERMINATION: Subject to the provisions below, the contract may be terminated for any reason by the County providing a 30 day advance notice in writing is given to the contractor.
 - 30.1 Termination for Cause: Termination by the County for cause, default or negligence on the part of the contractor shall be excluded from the foregoing provisions, termination costs, if any, shall not apply. The thirty (30) days advance written notice requirement is waived and the default provision in this bid shall apply; see General Conditions.
 - 30.2 Termination for Convenience: The County, by written notice, may terminate this contract in whole or in part, when it is in the best interest of the County.
 - 30.3 Termination requirement does not apply if contract is to terminate at the end of an established contract term.
 - 30.4 Termination for Nonappropriations: If the Lexington County Council fails to appropriate or authorize the expenditure of sufficient funds to provide the continuation of this contract, or if a lawful order issued in or for any fiscal year during the term of the contract reduces the funds appropriated or authorized in such amount as to preclude making the payments set out therein, the contract shall terminate on the date said funds are no longer available without any termination charges or other liability incurring to the County. Any termination for non-appropriations shall not prohibit the County from obtaining services from another source or in another manner, which is in the best interest of the County.

SPECIFICATIONS

Scope of Work:

The attached Rehabilitation Work Write-up for **312 Oliver Street, West Columbia, SC, 29169** consists of the following:

- Mead & Hunt Rehabilitation Work Write-up (11 Pages)
- Roy Consulting Group Corporation's Lead Abatement Scope of Work and Instructions to Bidders (1 Page)
- Roy Consulting Group Corporation's Lead Based Paint Inspection and Risk Assessment Report (6 Pages)
- Roy Consulting Group Corporation's Methodology (2 Pages)
- Roy Consulting Group Corporation's XRF Testing Report (8 Pages)
- Roy Consulting Group Corporation's Photos (8 Pages)

Contractor Requirements:

In order for contractors to be deemed "responsible", they must have attended the County's Contractor's Workshop on October 4, 2013 or have participated in a make-up session prior to bid being awarded. Information on available dates of the make-up sessions should be directed to the Community Development Department at 803-785-8121.

Lead Abatement Requirements:

To bid this abatement project, your firm must be a current South Carolina Certified Lead Firm. The abatement work must be completed by your company employed EPA licensed South Carolina Lead-Based Paint Workers which are supervised by your company employed EPA licensed South Carolina Lead-Based Paint Supervisor. Please submit a copy of your current South Carolina Certified Lead Firm certification and copies of your current South Carolina Lead-Based Paint Worker and Supervisor license with your bid.

Project Close-Out:

The Contractor shall provide all the warranty documentation prior to processing the final payment for this project.



Property Work Write-Up

Property Owner:	Paula Vernon
Address:	312 Oliver Street
City/State:	West Columbia, South Carolina 29169
Date of Initial Inspection:	Friday, March 21, 2014
Date of Report:	Tuesday, June 17, 2014
Mead & Hunt Project Number:	A1404

The following property work write-up has been prepared and written by Mead & Hunt, Inc. for the explicit use of Lexington County Community Development Office in accordance with the Lexington County Community Development Grant Program.

In submission of an estimated cost of construction proposal, the selected Contractor; upon receipt of a Notice to Proceed, agrees to:

- Obtain all necessary Permit(s), License(s), etc. that may be required by Federal, State, and/or Local Regulations and Codes,
- Verify existing and/or current condition(s) and measured dimension(s) before initiating construction activit(ies),
- **REPORT** any variance in property condition(s) and/or measured dimension(s) provided to Lexington County Community Development Office,
- Accept responsibility for necessary quantit(ies), measurement(s), dimension(s), and/or estimate(s) as provided and,
- **Perform all workmanship and supply required materials in strict compliance with the 2012 International Residential and Local Building Codes,**
- Arrange necessary work schedule(s) with Homeowner and Lexington County Community Development Office,
- Move, store, relocate, and protect the Homeowner's personal contents, possessions, furniture, clothing, and accessories,
- Cover and protect applicable ceiling(s), wall(s), floor(s) and/or other surface(s) from construction activit(ies),
- Maintain a clean and courteous construction operation,
- Perform light cleaning of the affected construction area at the end of each day,
- Construction debris must be picked up and stored and/or hauled off site in appropriate containers at the end of each day,
- Clean affected ceiling(s), wall(s), floor(s) and/or other surface(s) following the ceasing of construction activit(ies),
- Schedule necessary utility disconnects with the Homeowner 24 hours prior to the initiation of construction activit(ies),
- Provide material unit cost(s) in the estimate cost proposal section that includes all labor, equipment, materials, shipping, handling, taxes, insurance, overhead, and profit for the installation of that material in terms of a per unit item. **DO NOT INCLUDE IN THE TOTAL ESTIMATED COSTS.**

Lexington County Community Development Office reserves the right to delete any work item(s) at any time.

Exterior Improvement(s)

Line Item 1. Repair Roof Decking and Replace Roof Shingles

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office manufacturer's literature/ brochure of a 25 year 3-tab asphalt and fiberglass shingle sample of similar style, pattern, material, and color,
- Remove existing shingles, felt substrate, drip edge(s), shingle molding(s), and other roof mounted appurtenances and dispose of appropriately,
- Remove and replace deteriorated, damaged, or otherwise unsafe area(s) of the decking system noted after the removal of the existing shingles and felt substrate,
- Visually Inspect and physically verify the existing truss system upon removal of the roof decking,
- Ensure the truss system and surrounding structure is in acceptable condition and free of any major damage and/or unsafe deficiencies,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of the trusses, decking, or other roof system(s) noted during removal of the existing shingles to Lexington County Community Development Office immediately,
- **IF NECESSARY AND WITH PROPER APPROVAL;** remove and replace existing deteriorated, damaged, defective, or otherwise unsafe area(s) of roof system(s) with like kind and dispose of existing appropriately,
- Install a minimum of a 30-pound felt substrate in accordance with manufacturer's installation recommendations and instructions; and all local, state, and federal building codes,
- Install new asphalt and fiberglass shingles in accordance with manufacturer's installation recommendations and instructions,
- Install roof ridge exhaust vent(s) where applicable in accordance with manufacturers' installation recommendations and instructions,
- Replace, of like kind, required shingle molding, flashing, vent boot(s), vent(s), turbine(s), drip edge(s), single molding, and other accessories in accordance with manufacturer's installation recommendations and instructions,
- Caulk, prime, and paint disturbed areas to the fascia, shingle molding, siding, etc. to match the home's existing color scheme,
- Ensure proper installation and operation,
- Provide the homeowner one (1) unopened bundle of shingles used during the installation of the new roof.

Provide material unit cost(s) in the estimate cost proposal section that includes all labor, equipment, and materials for the installation of that material in terms of a per unit item. **DO NOT INCLUDE IN THE TOTAL ESTIMATED COSTS.**

Line Item 2. Repair and Replace Rotten of Damaged Trim along the perimeter of the House

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a shingle molding, fascia board, and other appropriate trim sample(s) of similar style, pattern, material,
- Remove existing deteriorated, damaged, defective, or otherwise unsafe, molding/ trim around the entire house and dispose of appropriately,
- Inspect and verify existing framing structure is in acceptable condition and free of any major damage and/or deficiencies,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of the existing framing structure noted during removal of the existing moldings/ trim to Lexington County Community Development Office immediately,
- **IF NECESSARY AND WITH PROPER APPROVAL;** remove/ replace/ supplement the existing deteriorated, damaged, defective, or otherwise unsafe area(s) of framing structure with like kind and dispose of existing appropriately,
- Install moldings/ trim in accordance with industry standards,
- Caulk, prime, and paint all wood siding and trim with an approved exterior grade semi-gloss paint to match the existing color scheme as closely as possible any disturbed during the removal or replacement of the moldings/ trim,
- Ensure proper installation and operation.

Line Item 3. Repair Soffit along the Front of the House

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Remove existing deteriorated, damaged, defective, or otherwise unsafe, soffit along the front of the house and dispose of appropriately,
- Inspect and verify existing brick molding/ miscellaneous moldings are in acceptable condition and free of any major damage and/or deficiencies,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of the existing moldings noted during removal of the existing shingle molding to Lexington County Community Development Office immediately,
- **IF NECESSARY AND WITH PROPER APPROVAL;** remove and replace existing deteriorated, damaged, defective, or otherwise unsafe area(s) of molding with like kind and dispose of existing appropriately,
- Install soffit in accordance with industry standards,
- Caulk, prime, and paint all wood siding and trim with an approved exterior grade semi-gloss paint to match the existing color scheme as closely as possible any disturbed during the removal or replacement of the soffit,
- Ensure proper installation and operation,

Line Item 4. Repair Brick Molding along the perimeter of the House

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a brick molding sample(s) of similar style, pattern, material,
- Remove existing deteriorated, damaged, defective, or otherwise unsafe, brick molding along the front of the house and dispose of appropriately,
- Inspect and verify existing brick molding/ miscellaneous moldings are in acceptable condition and free of any major damage and/or deficiencies,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of the existing moldings noted during removal of the existing shingle molding to Lexington County Community Development Office immediately,
- **IF NECESSARY AND WITH PROPER APPROVAL;** remove and replace existing deteriorated, damaged, defective, or otherwise unsafe area(s) of molding with like kind and dispose of existing appropriately,
- Install soffit in accordance with industry standards,
- Caulk, prime, and paint all wood siding and trim with an approved exterior grade semi-gloss paint to match the existing color scheme as closely as possible any disturbed during the removal or replacement of the soffit,
- Ensure proper installation and operation,

Line Item 5. Repair Damaged Siding and Repaint Repaired Areas

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a siding sample(s) of similar style, pattern, material,
- Remove existing deteriorated, damaged, defective, or otherwise unsafe, siding around the entire house and dispose of appropriately,
- Inspect and verify existing wall sheathing and/or framing structure is in acceptable condition and free of any major damage and/or deficiencies,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of the existing wall sheathing and/or framing structure noted during removal of the existing moldings/ trim to Lexington County Community Development Office **IMMEDIATELY,**
- **IF NECESSARY AND WITH PROPER APPROVAL;** remove/ replace/ supplement the existing deteriorated, damaged, defective, or otherwise unsafe area(s) of wall sheathing and/or framing structure with like kind and dispose of existing appropriately,
- Install siding in accordance with industry standards,
- Caulk, prime, and paint all wood siding and trim with an approved exterior grade semi-gloss paint to match the existing color scheme as closely as possible any disturbed during the removal or replacement of the moldings/ trim,
- Ensure proper installation and operation.

Line Item 6. Scrape, Sand, Clean and Paint all Exterior Wooden Trim and Panels

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office exterior grade semi-gloss paint sample of similar color,
- Clean, scrape, and/or sand the exterior siding and trim and remove any loose paint,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of wood siding and the associated trim,
- Caulk, prime, and paint all wood siding and trim with an approved exterior grade semi-gloss paint to match the existing color scheme as closely as possible.
- Ensure proper installation.

Line Item 7. Replace Exterior Lighting at the Driveway Steps

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a manufactures literature/brochure of a light fixture suitable for exterior use and approved by the homeowner,
- Remove the existing exterior lighting fixture at the driveway steps and dispose of appropriately,
- Install the approved light fixture per manufactures installation recommendations and instructions,
- Ensure proper installation and operation.

Line Item 8. Install Handrails at the Driveway Steps

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a set of plans illustrating an applicable handrail design including all dimensions, materials, and clearances,
- Install new custom built wooden handrail(s) in accordance submitted and approved plans,
- Caulk, prime, and paint with an exterior grade semi-gloss paint to match existing house color scheme,
- Ensure proper installation.

Line Item 9. Replace the Deck and Stairs along the Rear of the House

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a set of plans illustrating an applicable deck and stair design including all dimensions, materials, clearances, and footing placements,
- Install new custom built wooden deck in accordance submitted and approved plans,
- Caulk, prime, and paint with an exterior grade deck stain,
- Install proper installation.

Line Item 10. Re-Support Rear Porch

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Inspect vertical supports along the entire length of the rear porch,
- Replace any deteriorated, damaged, defective, or otherwise unsafe area(s) of the vertical supports or framing
- Install additional vertical support and ensure they properly anchored where necessary,
- Level and plumb the existing porch structure and ledger board as best as possible,
- Re-secure any loose boards with proper hardware, including lag screws, lag bolts, and masonry hardware,
- Caulk, prime, and paint with an exterior grade semi-gloss paint to match existing house color scheme,
- Install proper installation.

Line Item 11. Replace Crawlspace Door and Frame

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a set of plans illustrating an applicable crawlspace door design including all dimensions, materials, and clearances,
- Remove existing crawlspace door and frame and dispose of appropriately,
- Install approved crawlspace door with acceptable hardware and finishes,
- Caulk, prime, and paint with an exterior grade semi-gloss paint to match existing house color scheme,
- Ensure proper installation and operation.

Line Item 12. Replace Damaged Foundation Vents

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office manufacturer's literature/brochure for new foundation vents of similar style, pattern, and material as existing,
- Prepare brick for installation of vents,
- Install approved foundation vents,
- Ensure proper installation.

Line Item 13. Replace Dryer Vent Cover

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office manufacturer's literature/brochure for a new dryer vent cover of similar style, pattern, and material as existing,
- Prepare the existing dryer vent piping for the placement of a new dryer vent cover,
- Install the approved dryer vent cover,
- Ensure proper installation and operation,

Line Item 14. Install Chimney Cap

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office manufacturer's literature/brochure for a new chimney cap of contemporary style, pattern, and material and of appropriate size,
- Prepare the existing flue for the placement of a new chimney cap,
- Install the approved chimney cap,
- Ensure proper installation and operation.

Interior Improvement(s)

Line Item 15. Repair Sub-Floor and Sub-Structure in Various Locations throughout the House

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Remove existing deteriorated, damaged, defective, or otherwise unsafe area(s) of sub-floor, sheathing, floor joists, rim joists, band joists, header joists, girders, bridging, sill plates, and/ or hangers in various locations throughout the house that have been identified as soft, spongy, or bouncy and dispose of appropriately,
- Inspect and verify the remaining sub-structure system within the immediate vicinity of repairs including studs are in acceptable condition and free of any major damage and/or unsafe deficiencies,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of the sub-structure system noted during removal of the deficient sub-floor and flooring system to Lexington County Community Development Office **IMMEDIATELY**,
- Install and/or supplement any existing deteriorated, damaged, defective, or otherwise unsafe area(s) of the floor joists and sub-structure system with like kind materials and/or appropriate replacement materials and dispose of any waste appropriately,
- **IF NECESSARY AND WITH PROPER APPROVAL** install underpinning, foundations, and piers in areas where additional support is needed
- Install new ¾-inch plywood underlayment (or of comparable thickness as existing),
- Ensure proper installation,
- Ensure floor does not move or flex under loaded conditions.

Line Item 16. Replace Floor Coverings due to Sub-floor Repairs

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office manufacturer's literature/ brochure of flooring samples of similar style, pattern, material, and color,
- Carefully remove and store appropriately the necessary quarter round, base shoe molding, base board molding, thresholds, and/or other molding accessories for the installation of flooring types,
- Carefully disconnect, remove, and store appropriately the required HVAC vent(s), grill(s), register(s), duct(s), and/or other HVAC connection accessories,
- Remove existing flooring and/ or padding in the area where sub-floor and sub-structure repair has taken place and dispose of appropriately,
- Remove and replace any damaged or otherwise non-functional tack board, adhesives, or hardware,
- Install approved flooring and/ or padding in accordance with manufacturer's installation recommendations and instructions,
- Reinstall existing or replace if damaged; of like kind, molding(s) and HVAC accessor(ies) removed prior to carpet flooring installation,
- Ensure proper installation and operation.

Line Item 17. Repaint the Ceiling in the Bedroom

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Carefully remove/ store/ protect any necessary equipment, furnishings, appliances, and/or molding(s), for the painting of the ceiling in the bedroom,
- Apply joint tape and/or joint compound and sand in accordance with manufacturer's installation recommendations and instructions,
- Prime and paint ceiling to match the existing ceiling color and texture,
- Ensure proper installation.

Line Item 18. Install New Stair Handrails

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a manufacturer's literature/ brochure for a new handrail and spindles,
- Install handrails and spindles in accordance submitted and approved plans,
- Caulk, prime, and paint with an interior grade semi-gloss paint to match existing house color scheme,
- Ensure proper installation.

Line Item 19. Replace HVAC Return Vent in Bedroom

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office manufacturer's literature/ brochure/ shop drawing for an HVAC in-wall return air box of similar style, pattern, material, and capacity
- Carefully remove existing return air box, and all applicable accessories and hardware,
- **REPORT** any deteriorated, damaged, defective, or otherwise unsafe area(s) of the ductwork noted during removal of the existing return air box to Lexington County Community Development Office immediately,
- Install new in-wall return air box,
- Ensure return duct is reconnected, taped, and mastic,
- Ensure proper installation, operation and quality of finish.

Line Item 20. Install New Vanity with Sink and Fixtures in Upstairs Bathroom

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a manufacturer's literature/ brochure of a vanity, sink with faucet combo,
- Remove existing vanity, sink, fixtures, and attached accessories and/or components and dispose of appropriately,
- Install approved vanity per manufacturer's installation recommendations and instructions,
- Install approved sink and faucet per manufacture's installation recommendation and instructions,
- Install; of like kind, size, material, and color, new mechanical piping tie-ins, electrical conduit, and any other necessary equipment/ components, needed for proper installation,
- Caulk, prime, and paint the entire bathroom area with an interior semi-gloss paint appropriate for bathroom use and an appropriate silicon-based or latex-based caulking,
- Ensure proper installation and ensure no leaks,

Line Item 21. Install New Tub Fixtures

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- **SUBMIT FOR APPROVAL** to Lexington County Community Development Office a manufactures literature/brochure of a tub fixture assembly similar in style and material,
- Schedule water shut-off with homeowner,
- Carefully disconnect, remove, and dispose of appropriately the existing tub fixtures,
- Install approved tub fixtures in accordance with manufactures installation recommendations and instructions,
- Ensure proper operation and installation.

Line Item 22. Remove Existing Smoke Detectors

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Carefully remove and dispose of the existing smoke detectors throughout the house,

Line Item 23. Blow in Cellulose Attic Insulation

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Prepare attic for the installation of a "blow-in" cellulose type material insulation,
- Remove any existing personal effects/materials from attic and store appropriately and per homeowners instructions,
- Install cellulose insulation per manufactures installation recommendations and instructions,
- Ensure proper installation and a minimum of twelve (12) inches of thickness,

Line Item 24. Install Four (4) Smoke Detectors

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Install four (4) hard wired and interconnected smoke detectors throughout the house with appropriate hardware,
- Ensure proper installation and operation

Line Item 25. Perform Lead Remediation and Abatement per the Lead Based Paint Report

This work write-up line item is to include all time, labor, equipment, and materials needed to:

- Carefully perform any lead remediation and/or abatement referenced in the Roy Consulting Group Corporation *Lead-Based Paint Inspection and Risk Assessment Report*

In submission of an estimated cost of construction proposal the perspective Contractor acknowledges that the follow property work write-up amendments,

Have/has been received, reviewed, and included in this estimated cost proposal.

Estimated Cost Proposal – 312 Oliver Street

The Contractor acknowledges that the following estimated cost proposal includes **all required time, labor, equipment, materials, shipping, handling, taxes, insurance, overhead, and profit.**

When directed, provide material unit cost(s) that includes all labor, equipment, materials, shipping, handling, taxes, insurance, overhead, and profit for the installation of that material in terms of a per unit item. **DO NOT INCLUDE IN THE TOTAL ESTIMATED COSTS.**

By: _____
 Company: _____
 Phone: _____
 e-Mail: _____

Line Item	Description	Amount	Amount
Line Item 1	Repair Roof Decking and Replace Roof Shingles		\$
	Material Unit Cost per Square (ie: per 100 sq-ft) (Shingles)	\$	-
	Material Unit Cost per Sheet (OSB Decking)	\$	-
	Material Unit Cost per Linear Foot (Lumber)	\$	-
Line Item 2	Repair and Replace Rotten of Damaged Trim along the perimeter of the House		\$
Line Item 3	Repair Soffit along the Front of the House		\$
Line Item 4	Repair Brick Molding along the perimeter of the House		\$
Line Item 5	Repair Damaged Siding and Repaint Repaired Areas		\$
Line Item 6	Scrape, Sand, Clean and Paint all Exterior Wooden Trim and Panels		\$
Line Item 7	Replace Exterior Lighting at the Driveway Steps		\$
Line Item 8	Install Handrails at the Driveway Steps		\$
Line Item 9	Replace the Deck and Stairs along the Rear of the House		\$
Line Item 10	Re-Support Rear Porch		\$
Line Item 11	Replace Crawlspace Door and Frame		\$
		Sub-Total	\$
		Cost:	

Continue to Next Page

Estimated Cost Proposal CONTINUED – 312 Oliver Street

The Contractor acknowledges that the following estimated cost proposal includes all required time, labor, equipment, materials, shipping, handling, taxes, insurance, overhead, and profit.

When directed, provide material unit cost(s) that includes all labor, equipment, materials, shipping, handling, taxes, insurance, overhead, and profit for the installation of that material in terms of a per unit item. **DO NOT INCLUDE IN THE TOTAL ESTIMATED COSTS.**

By: _____
 Company: _____
 Phone: _____
 e-Mail: _____

Line Item	Description	Amount
Line Item 12	Replace Damaged Foundation Vents	\$
Line Item 13	Replace Dryer Vent Cover	\$
Line Item 14	Install Chimney Cap	\$
Line Item 15	Repair Sub-Floor and Sub-Structure in Various Locations throughout the House	\$
Line Item 16	Replace Floor Coverings due to Sub-floor Repairs	\$
Line Item 17	Repaint the Ceiling in the Bedroom	\$
Line Item 18	Install New Stair Handrails	\$
Line Item 19	Replace HVAC Return Vent in Bedroom	\$
Line Item 20	Install New Vanity with Sink and Fixtures in Upstairs Bathroom	\$
Line Item 21	Install New Tub Fixtures	\$
Line Item 22	Remove Existing Smoke Detectors	\$
Line Item 23	Blow in Cellulose Attic Insulation	\$
Line Item 24	Install Four (4) Smoke Detectors	\$
Line Item 25	Perform Lead Remediation and Abatement per the Lead Based Paint Report	\$
Sub-Total:		\$
Total Cost:		\$

End of Document

LEAD ABATEMENT SCOPE OF WORK AND INSTRUCTIONS TO BIDDERS

312 Oliver Street, West Columbia, SC 29169

May 14, 2014

ROY CONSULTING GROUP PROJECT NUMBER 78-111209

Complete the following scope of work:

Item

1	Side A through Side D - Replace rotted wood and cover white wood fascias, soffits, roof sheeting, rafters, crown moldings, trim boards and corner boards with tyvek and alminum or vinyl (NOT including the newer Screen Porch fascias, soffits, crown moldings and trim which are newer and not coated with lead-based paint)
2	Side A through Side D Interior Screen Porch - Prepare and re-paint exposed wood ceiling support beams (Note: most of the support beams are covered with newer trim which is not coated with lead-based paint).

NOTES

- 1 Contractors must complete occupant protection plan prior to completing work and keep on-site.
- 2 Allow for replacement of 50 board feet of rotted wood
- 3 Replacement components must meet local building codes

INSTRUCTIONS

Submit a proposed schedule with the bids. The schedule will be evaluated along with cost and other factors in the selection of the successful bidder.

Bids are due on _____ at

County of Lexington
212 South Lake Drive, Suite 401
Lexington, South Carolina 29072

**LEAD-BASED PAINT LIMITED TESTING REPORT
312 OLIVER STREET
WEST COLUMBIA, SOUTH CAROLINA 29169**



Owner:
Paula Vernon
312 Oliver Street
West Columbia, South Carolina 29169
803-629-4413

Prepared for:
County of Lexington
212 South Lake Drive, Suite 401
Lexington, South Carolina 29072
803.785.8188

Prepared by:
ROY CONSULTING GROUP CORPORATION
PROJECT #78-111209

James E. Roy, Jr.
James E. Roy, Jr.
SC Risk Assessor-# SC-R-8545-4

Patricia P. Roy
Patricia P. Roy
President

**ROY CONSULTING GROUP
CORPORATION**

9823 BALMORAL CIRCLE
CHARLOTTE, NORTH CAROLINA 28210
PHONE: 704.968.4111 FAX: 704.553.9458

May 12, 2014

Ms. Sandy Fox
County of Lexington
212 South Lake Drive, Suite 401
Lexington, South Carolina 29072

Subject: **LEAD-BASED PAINT LIMITED TESTING REPORT
312 OLIVER STREET
WEST COLUMBIA, SOUTH CAROLINA 29169
OWNER: PAULA VERNON – 803-629-4413
ROY CONSULTING GROUP CORPORATION PROJECT #78-111209**

Dear Ms. Fox:

As authorized by the contract between the County of Lexington and Roy Consulting Group Corporation (Roy Consulting Group) dated December 3, 2010, we are pleased to submit this Lead-Based Paint Limited Testing Report for the subject property location. The report summarizes our on-site investigation and procedures, RMD, Inc. LPA-1 Lead Paint Spectrum Analyzer (XRF) test results and our conclusions and recommendations based on the data collected. **Lead-based paint was identified at concentrations greater than or equal to 1.0 mg/cm² (milligram per centimeter squared) during this limited testing.**

1.0 INTRODUCTION

The subject property is a two-story, single-family, wood exterior (on older wood siding) exterior, residential house with asphalt shingle roof and crawlspace. The house was originally constructed in 1939. The house was occupied at the time of the limited testing.

Mr. Jim Roy, Accredited South Carolina Lead-Based Paint Risk Assessor, Number SC-R-8545-4, performed the lead-based paint limited testing services on May 9, 2014. The location of the subject property, access to the subject property and an explanation of the areas to be tested were provided by the County of Lexington. The work was completed as documented in Appendix A - Methodology.

2.0 FINDINGS FOR LEAD-BASED PAINT LIMITED TESTING

Testing for the presence of lead-based paint was completed using the XRF. For paint to be considered "Lead-Based Paint," the paint must contain lead concentrations of 0.5% by weight or greater or contain lead concentrations of 1.0 mg/cm² or greater under the HUD guidelines and the EPA regulations. Please note that detectable lead quantities less than 1.0 mg/cm² may constitute a lead dust hazard even though it is not considered a lead-based paint. **Based on your request, the testing was limited to the exterior trim, exterior stairs, deck and components, exterior walls and corner boards, exterior crawlspace doors and frames as well as the Upstairs Bedroom, Hall/Stairwell and Bath ceilings, the Upstairs Bath vanity, the stairwell railing and the Screen Porch ceiling and floor. Lead-based paint was detected at concentrations greater than 1.0 mg/cm² as identified in the following section(s).** Lead-based paint deteriorated above the HUD risk assessment de minimis levels of 20-2-10 (20 square feet of paint on exterior building - 2 square feet of paint per room and room equivalent - 10% of total surface area on an interior or exterior component with small surface area) was detected at the time of the inspection.

2.1 Exterior

House – COMPONENTS WITH DETERIORATED PAINT

Side A through Side D – white wood fascias, soffits, roof sheeting, rafters, crown moldings and trim boards (NOT including the newer screen fascias, soffits, crown moldings and trim which are newer and not coated with lead-based paint)

Side A through Side D – older white wood corner boards

2.2 Interior

House – COMPONENTS WITH DETERIORATED PAINT

Room 1 – Screened Porch – Side A through Side C – white wood exposed ceiling support beams (Note: most of the support beams are covered with newer trim which is not coated with lead-based paint)

Note: It is likely the older, exterior, white wood siding which exists beneath the newer red wood/fiberboard siding is coated with lead-based paint.

Note: Based on HUD guidelines, the sides of the house, including the windows, doors, and cabinets, are identified by letter. The A-side of the house is the side facing the road and is typically the location of the main entrance door to the house. The remaining three sides of the house are denoted with letters B through D moving clockwise from the front of the house. Exterior windows throughout the house are additionally identified by a number, beginning with number one, which identifies the window on the farthest right side of the exterior wall. The next window moving toward the left is window two, etc. Thus, the far right window on wall A or A-side is window A1, the second window moving to the left is A2, the third window is A3, etc. When windows exist on a second floor, the

ROY CONSULTING GROUP CORPORATION

window label will have the floor number in front of the letter. Thus, the farthest right window on the second floor wall A or A-side is 2A1. Exterior doors are identified with the same numbering system. Interior doors and windows are numbered similarly, however the numbering is specific to the room. Thus, several rooms may have door A1 which would be the far right door on wall A or A-side (when looking at the room from the front of the house). Also, lead-based paint may exist under an exposed substrate. Thus, if a substrate is identified as containing lead-based paint, yet is unpainted, lead-based paint may exist beneath the exposed substrate (i.e., paint under vinyl siding).

3.0 RECOMMENDATIONS

Roy Consulting Group recommends the materials coated with lead-based paint identified in this inspection be abated or remediated prior to any renovation or demolition activities in the areas in which the items exist. **Roy Consulting Group recommends that a lead-based paint project design be completed by a South Carolina certified and accredited lead-based paint project designer prior to completion of any lead remediation work.** The lead-based paint remediation/removal should be performed in accordance with EPA and Occupational Safety and Health Administration (OSHA) requirements by a state certified contractor. **In addition, as of January 1, 2010, contractors/maintenance workers performing renovation, repair and painting projects that disturb lead-based paint in homes, child care facilities, and schools built before 1978 must be certified and must follow specific work practices to prevent lead contamination in most situations. Firms performing renovation, repair, and painting projects that disturb lead-based paint in pre-1978 homes, child care facilities and schools must be certified by the EPA and must use certified renovators who are trained by EPA-approved training providers to follow lead-safe work practices.**

Roy Consulting Group recommends the following options for treatment of identified lead-based paints (sections 2.1 and 2.2). Any of the options listed below should reduce or eliminate potential hazards.

Possible abatement/remediation options for the exterior painted surfaces include encapsulation, enclosure, on-site paint removal or component replacement. In order to reduce the lead-based paint hazards at the subject property, we recommend covering the exterior wood fascias, soffits, rafters, roof sheeting, crown moldings, trim boards, and corner boards with Tyvek and aluminum or replacing them. We recommend covering the Room 1 - Screen Porch exposed wood ceiling support beams with Tyvek and aluminum or cleaning and re-painting them.

Dust removal should be completed after the source of the dust is controlled. Dust containing lead resulting from abrasion on friction and impact surfaces that are painted can be reduced by thoroughly cleaning the surfaces, covering the surfaces with an

ROY CONSULTING GROUP CORPORATION

abrasion resistant material that will eliminate friction or impact, or by repairing the component to good working condition that reduces dust production. Each form of interim control requires continued inspection and monitoring. Once the interim controls or abatement measures have been completed, the property should be properly cleaned using High Efficiency Particulate Arrestor (HEPA) technology and wet wiping methods.

Following remediation and proper cleaning, a lead-based paint clearance inspection should be completed that includes visual inspection and analysis of dust wipe samples. The clearance samples may not be collected from the same room or component that was found to contain lead; therefore, all surfaces should be prepared for clearance sampling.

Paint films usually have varying amounts of lead on what appears to be a homogeneous painted area. Caution should always be used during demolition or renovation operations to prevent potential lead exposure. Additionally, mechanical disturbance (sanding, grinding) of the lead-based paint should be avoided.

4.0 DISCLOSURE

According to Federal Law (24 CFR part 35 and 40 CFR part 745), a copy of this summary must be provided to new tenants and purchasers of this property before they become obligated under a lease or sales contract. The entire report must also be provided to new purchasers and be made available to new tenants. Landlords (lessors) and sellers are also required to distribute an educational pamphlet, including standard warning language in their leases or sales contracts to ensure that parents have the information necessary to protect their children from lead-based paint hazards.

5.0 QUALIFICATIONS

This report summarizes Roy Consulting Group's evaluation of the conditions observed at the subject property during the course of the limited testing to identify lead-based paints. Our findings are based upon our observations at the property and sampling performed at the time of the limited testing activities. Additional lead-based paints may exist in other portions of the property but were undetected due to inaccessibility or due to an imperceptible change in paints. Any conditions discovered which deviate from the data contained in this report should be presented to us for our evaluation. The information contained in this report is based upon the data furnished by The County of Lexington and observations and test results provided by Roy Consulting Group. These observations and results are time-dependent and are subject to changing site conditions and revisions to federal, state, and local regulations.

ROY CONSULTING GROUP CORPORATION

This report was prepared pursuant to the contract Roy Consulting Group has with The County of Lexington. That contractual relationship included an exchange of information about the property that was unique and between Roy Consulting Group and The County of Lexington and serves as the basis upon which this report was prepared. Because of the importance of the communication between Roy Consulting Group and The County of Lexington, reliance or any use of this report by anyone other than The County of Lexington for whom it was prepared and the property owner of this property is prohibited and therefore, not foreseeable by Roy Consulting Group.

Reliance or use by any such third party without explicit authorization in the report does not make said third party a third party beneficiary to Roy Consulting Group's contract with The County of Lexington. Any such unauthorized reliance on or use of this report, including any of its information or conclusions, will be at the third party's risk. For the same reasons, no warranties or representations, expressed or implied in this report, are made to any such third party.

We appreciate this opportunity to provide professional services for this project. If we can be of further assistance, or if you have any questions concerning this report, please do not hesitate to call us at 704.968.4111.

Sincerely,

ROY CONSULTING GROUP CORPORATION



James E. Roy, Jr.
SC Risk Assessor-# SC-R-8545-4
Principal



Patricia P. Roy
President

Appendices

Appendix A	Methodology
Appendix B	XRF Testing Report
Appendix C	Photos

ROY CONSULTING GROUP CORPORATION

APPENDIX A
METHODOLOGY

ROY CONSULTING GROUP CORPORATION

PROJECT METHODOLOGY

The lead-based paint limited testing was conducted in general accordance with EPA work practice standards for conducting lead-based paint activities (40 CFR 745.227), Lead-Based Paint Poisoning Prevention In Certain Residential Structures (24 CFR Part 35), and the U.S. Department of Housing and Urban Development (HUD) *Guidelines for the Evaluation and Control of Lead-Based Paint Hazards in Housing* (Guidelines). Roy Consulting Group is a South Carolina Certified Lead Firm – No. SC-11365-2.

Methodology for Lead-Based Paint Limited Testing

The lead-based paint limited testing began with our inspector/risk assessor walking the subject property and documenting room equivalents, testing combinations and selecting test locations. After the testing strategy was determined, Roy Consulting Group used RMD LPA-1 XRF, serial number 2635, to determine the lead content in mg/cm² of selected painted surfaces on the subject property building(s). Based on your requested, the testing was limited to areas to be disturbed during construction activities.

ROY CONSULTING GROUP CORPORATION

APPENDIX B
XRF TESTING REPORT

ROY CONSULTING GROUP CORPORATION

The lead-based paint XRF limited testing reports are separated into the following sections:

Section 1 – Cover Page

Section 2 – Sequential Report of Lead-Based Paint Limited Testing
Detailed report of LBP samples in the order collected.

Section 3 – Summary Report of Lead-Based Paint Limited Testing
Detailed report of LBP samples with concentrations ≥ 1 mg/cm².

Section 4 – Detailed Report of Lead-Based Paint Limited Testing
Detailed report of LBP samples listed by room or area.

Section 5 – Distribution Report of Lead-Based Paint Limited Testing
Detailed report of LBP samples results separated by component.

Based on the request of The County of Lexington, paint conditions in this report have been documented as either INTACT (I) or Poor (P) where I is paint with no deterioration and P is deteriorated paint. Deteriorated paint means any interior or exterior paint or other surface coating that is peeling, chipping, chalking or cracking, or any paint or surface coating located on an interior or exterior surface or fixture that is otherwise damaged or separated from the substrate.

ROY CONSULTING GROUP CORPORATION

LEAD PAINT INSPECTION REPORT

REPORT NUMBER: S#02635 - 05/09/14 10:10

INSPECTION FOR: COL

PERFORMED AT: 312 Oliver

INSPECTION DATE: 05/09/14

INSTRUMENT TYPE: R M D
MODEL LPA-1
XRF TYPE ANALYZER
Serial Number: 02635

ACTION LEVEL: 1.0 mg/cm**2

ROY CONSULTING GROUP CORPORATION

SEQUENTIAL REPORT OF LEAD PAINT INSPECTION FOR:COL

Inspection Date: 05/09/14 312 Oliver
 Report Date: 5/10/2014
 Abatement Level: 1.0
 Report No. S#02635 - 05/09/14 10:10
 Total Readings: 77
 Job Started: 05/09/14 10:10
 Job Finished: 05/09/14 13:13

Read No.	Room Rm	Room Name	Wall	Structure	Location	Member	Paint Cond	Substrate	Paint Color	Lead (mg/cm ²)	Mode
1		CALIBRATION								1.0	TC
2		CALIBRATION								1.0	TC
3		CALIBRATION								1.0	TC
4	001	House	A	Wall	L	Ctr	P	Wood	Red	-0.2	QM
				covering older wood siding							
5	001	House	A	Corner board	Rgt		P	Wood	White	0.0	QM
6	001	House	B	Wall	L	Rgt	P	Wood	Red	-0.2	QM
7	001	House	B	Corner board	Rgt		P	Wood	White	0.0	QM
8	001	House	D	Wall	L	Lft	I	Wood	Red	0.0	QM
9	001	House	D	Corner board	Lft		P	Wood	White	-0.2	QM
10	001	House	A	Foundation	Rgt		I	Brick	Red	-0.2	QM
11	001	House	A	Stairs	Ctr	Railing cap	P	Wood	Gray	-0.1	QM
12	001	House	A	Stairs	Ctr	Treads	P	Wood	Gray	0.0	QM
13	001	House	A	Stairs	Ctr	Risers	P	Wood	Gray	-0.1	QM
14	001	House	A	Stairs	Ctr	Newel post	P	Wood	White	-0.1	QM
15	001	House	A	Stairs	Ctr	Balusters	P	Wood	White	0.0	QM
16	001	House	A	Railing	Lft	Railing	P	Wood	Gray	-0.1	QM
17	001	House	A	Railing	Lft	Balusters	P	Wood	White	0.0	QM
18	001	House	A	Entry Clnng	Lft		P	Wood	White	-0.3	QM
19	001	House	A	Fascia			P	Wood	White	-0.5	QM
20	001	House	A	Soffit			P	Wood	White	-0.1	QM
21	001	House	A	Trim Board	Lft		P	Wood	White	-0.4	QM
22	001	House	B	Fascia			P	Wood	White	-0.2	QM
23	001	House	B	Soffit			P	Wood	White	0.0	QM
24	001	House	C	Rafter	Rgt		P	Wood	White	1.0	QM
25	001	House	C	Soffit			P	Wood	White	1.0	QM
				roof sheeting							
26	001	House	D	Wall	L	Rgt	I	Wood	Red	-0.3	QM
27	001	House	D	Corner board	Rgt		P	Wood	White	4.6	QM
				some have been replaced							
28	001	House	D	Fascia			P	Wood	White	0.1	QM
29	001	House	D	Soffit			P	Wood	White	2.1	QM
30	001	House	D	Fascia			P	Wood	White	1.5	QM
31	001	House	D	Crawl Door	Rgt		P	Wood	White	-0.2	QM
32	001	House	D	Crawl Dr Frm	Rgt		P	Wood	White	-0.1	QM
33	001	House	A	Soffit			P	Wood	White	1.5	QM
34	001	House	A	Fascia			P	Wood	White	1.4	QM
35	001	House	C	Stairs	Rgt	Railing cap	P	Wood	Gray	-0.3	QM
36	001	House	C	Stairs	Rgt	Newel post	P	Wood	White	-0.2	QM
37	001	House	C	Stairs	Rgt	Balusters	P	Wood	White	-0.2	QM
				stair treads are unpainted wood							
38	001	House	C	Stairs	Rgt	Stringer	P	Wood	Gray	-0.2	QM

ROY CONSULTING GROUP CORPORATION

39	001	House	C	Porch Floor	Rgt		P Wood	Gray	0.1	QM
40	001	House	C	Support Beam	Rgt		P Wood	Gray	-0.3	QM
41	001	House	C	Crawl Door	Rgt		P Wood	Gray	0.0	QM
42	001	House	C	Crawl Dr Frm	Rgt		P Wood	Gray	-0.3	QM
43	001	House	C	Support Beam	Rgt		P Wood	White	-0.2	QM
44	001	House	C	Trim Board	Rgt		P Wood	White	0.1	QM
45	001	House	C	Railing	Rgt	Railing	P Wood	Gray	0.3	QM
46	001	House	C	Crawl Dr Frm	Rgt		I Wood	White	-0.2	QM
47	001	House	C	Crawl Door	Rgt		I Wood	White	-0.1	QM
48	001	House	C	Corner board	Rgt		I Wood	White	-0.2	QM
				porch - newer						
49	001	House	B	Fascia			I Wood	White	-0.3	QM
				on porch - newer						
50	001	House	B	Soffit			I Wood	White	-0.2	QM
51	001	House	B	Elect Panel	Lft		P Metal	White	-0.2	QM
52	001	House	B	Pipe	Lft		P Metal	Red	-0.4	QM
53	001	House	B	Entry Clng	Lft		P Wood	White	-0.1	QM
54	001	House	B	Frpl Trim	Lft		P Wood	White	0.0	QM
				on entry						
55	001	House	B	Roof Bracket	Lft		P Wood	White	-0.1	QM
56	001	Hallway	D	Stairs	Ctr	Railing cap	I Wood	White	-0.2	QM
57	002	BR1	A	Ceiling			I Wall Board	White	-0.3	QM
				2nd Floor Front Bedroom						
58	002	BR1	C	Ceiling			I Wall Board	White	-0.1	QM
59	003	Bathroom	A	Ceiling			I Wall Board	White	0.0	QM
				2nd Floor						
60	003	Bathroom	D	Cab Frame	Rgt		I Wood	White	0.1	QM
61	003	Bathroom	D	Cabinet Door	Rgt		I Wood	White	-0.2	QM
62	003	Bathroom	B	Wall	L Ctr		I Ceramic	Lt Brown	-0.3	QM
63	003	Bathroom	A	Wall	L Rgt		I Ceramic	Lt Brown	-0.4	QM
64	004	BR2	A	Ceiling			I Wall Board	White	-0.3	QM
				back bedroom						
65	004	BR2	C	Ceiling			I Wall Board	White	-0.4	QM
66	001	Hallway	A	Ceiling			I Wall Board	White	0.1	QM
67	001	Hallway	D	Ceiling			I Wall Board	White	0.1	QM
68	005	Screen Prch	A	Ceiling			P Wood	White	-0.2	QM
69	005	Screen Prch	C	Ceiling			P Wood	White	0.0	QM
70	005	Screen Prch	A	Trim Board	Rgt		P Wood	White	0.4	QM
71	005	Screen Prch	B	Trim Board	Ctr		P Wood	White	-0.1	QM
72	005	Screen Prch	B	Column	Ctr	U column	P Wood	White	-0.1	QM
73	005	Screen Prch	B	Support Beam	Ctr		P Wood	White	>9.9	QM
				underside						
74	005	Screen Prch	C	Floor			P Wood	Gray	0.1	QM
75		CALIBRATION							1.0	TC
76		CALIBRATION							0.9	TC
77		CALIBRATION							0.9	TC

---- End of Readings ----

ROY CONSULTING GROUP CORPORATION

SUMMARY REPORT OF LEAD PAINT INSPECTION FOR: COL

Inspection Date: 05/09/14 312 Oliver
 Report Date: 5/10/2014
 Abatement Level: 1.0
 Report No. S#02635 - 05/09/14 10:10
 Total Readings: 77 Actionable: 8
 Job Started: 05/09/14 10:10
 Job Finished: 05/09/14 13:13

Read No.	Wall	Structure	Location	Member	Paint Cond	Substrate	Paint Color	Lead (mg/cm ²)	Mode
Exterior Room 001 House									
034	A	Fascia			P	Wood	White	1.4	QM
033	A	Soffit			P	Wood	White	1.5	QM
025	C	Soffit			P	Wood	White	1.0	QM
		roof sheeting							
024	C	Rafter	Rgt		P	Wood	White	1.0	QM
027	D	Corner board	Rgt		P	Wood	White	4.6	QM
		some have been replaced							
030	D	Fascia			P	Wood	White	1.5	QM
029	D	Soffit			P	Wood	White	2.1	QM
Interior Room 005 Screen Prch									
073	B	Support Beam	Ctr		P	Wood	White	>9.9	QM
		underside							

Calibration Readings

---- End of Readings ----

ROY CONSULTING GROUP CORPORATION

DETAILED REPORT OF LEAD PAINT INSPECTION FOR: COL

Inspection Date: 05/09/14 312 Oliver
 Report Date: 5/10/2014
 Abatement Level: 1.0
 Report No. S#02635 - 05/09/14 10:10
 Total Readings: 77
 Job Started: 05/09/14 10:10
 Job Finished: 05/09/14 13:13

Read No.	Wall	Structure	Location	Member	Paint Cond	Substrate	Paint Color	Lead (mg/cm ²)	Mode
Exterior Room 001 House									
004	A	Wall	L Ctr		P	Wood	Red	-0.2	QM
		covering older wood siding							
010	A	Foundation	Rgt		I	Brick	Red	-0.2	QM
005	A	Corner board	Rgt		P	Wood	White	0.0	QM
019	A	Fascia			P	Wood	White	-0.5	QM
034	A	Fascia			P	Wood	White	1.4	QM
020	A	Soffit			P	Wood	White	-0.1	QM
033	A	Soffit			P	Wood	White	1.5	QM
012	A	Stairs	Ctr	Treads	P	Wood	Gray	0.0	QM
013	A	Stairs	Ctr	Risers	P	Wood	Gray	-0.1	QM
014	A	Stairs	Ctr	Newel post	P	Wood	White	-0.1	QM
015	A	Stairs	Ctr	Balusters	P	Wood	White	0.0	QM
011	A	Stairs	Ctr	Railing cap	P	Wood	Gray	-0.1	QM
017	A	Railing	Lft	Balusters	P	Wood	White	0.0	QM
016	A	Railing	Lft	Railing	P	Wood	Gray	-0.1	QM
018	A	Entry Clng	Lft		P	Wood	White	-0.3	QM
021	A	Trim Board	Lft		P	Wood	White	-0.4	QM
006	B	Wall	L Rgt		P	Wood	Red	-0.2	QM
007	B	Corner board	Rgt		P	Wood	White	0.0	QM
022	B	Fascia			P	Wood	White	-0.2	QM
049	B	Fascia			I	Wood	White	-0.3	QM
		on porch - newer							
023	B	Soffit			P	Wood	White	0.0	QM
050	B	Soffit			I	Wood	White	-0.2	QM
051	B	Elect Panel	Lft		P	Metal	White	-0.2	QM
052	B	Pipe	Lft		P	Metal	Red	-0.4	QM
053	B	Entry Clng	Lft		P	Wood	White	-0.1	QM
054	B	Frpl Trim	Lft		P	Wood	White	0.0	QM
		on entry							
055	B	Roof Bracket	Lft		P	Wood	White	-0.1	QM
048	C	Corner board	Rgt		I	Wood	White	-0.2	QM
		porch - newer							
025	C	Soffit			P	Wood	White	1.0	QM
		roof sheeting							
036	C	Stairs	Rgt	Newel post	P	Wood	White	-0.2	QM
038	C	Stairs	Rgt	Stringer	P	Wood	Gray	-0.2	QM
037	C	Stairs	Rgt	Balusters	P	Wood	White	-0.2	QM
		stair treads are unpainted wood							
035	C	Stairs	Rgt	Railing cap	P	Wood	Gray	-0.3	QM
045	C	Railing	Rgt	Railing	P	Wood	Gray	0.3	QM
024	C	Rafter	Rgt		P	Wood	White	1.0	QM

ROY CONSULTING GROUP CORPORATION

039	C	Porch Floor	Rgt		P	Wood	Gray	0.1	QM
040	C	Support Beam	Rgt		P	Wood	Gray	-0.3	QM
041	C	Crawl Door	Rgt		P	Wood	Gray	0.0	QM
042	C	Crawl Dr Frm	Rgt		P	Wood	Gray	-0.3	QM
043	C	Support Beam	Rgt		P	Wood	White	-0.2	QM
044	C	Trim Board	Rgt		P	Wood	White	0.1	QM
046	C	Crawl Dr Frm	Rgt		I	Wood	White	-0.2	QM
047	C	Crawl Door	Rgt		I	Wood	White	-0.1	QM
008	D	Wall	L Lft		I	Wood	Red	0.0	QM
026	D	Wall	L Rgt		I	Wood	Red	-0.3	QM
009	D	Corner board	Lft		P	Wood	White	-0.2	QM
027	D	Corner board	Rgt		P	Wood	White	4.6	QM
		some have been replaced							
028	D	Fascia			P	Wood	White	0.1	QM
030	D	Fascia			P	Wood	White	1.5	QM
029	D	Soffit			P	Wood	White	2.1	QM
031	D	Crawl Door	Rgt		P	Wood	White	-0.2	QM
032	D	Crawl Dr Frm	Rgt		P	Wood	White	-0.1	QM
Interior Room 001 Hallway									
066	A	Ceiling			I	Wall Board	White	0.1	QM
067	D	Ceiling			I	Wall Board	White	0.1	QM
056	D	Stairs	Ctr	Railing cap	I	Wood	White	-0.2	QM
Interior Room 002 BR1									
057	A	Ceiling			I	Wall Board	White	-0.3	QM
		2nd Floor Front Bedroom							
058	C	Ceiling			I	Wall Board	White	-0.1	QM
Interior Room 003 Bathroom									
063	A	Wall	L Rgt		I	Ceramic	Lt Brown	-0.4	QM
059	A	Ceiling			I	Wall Board	White	0.0	QM
		2nd Floor							
062	B	Wall	L Ctr		I	Ceramic	Lt Brown	-0.3	QM
060	D	Cab Frame	Rgt		I	Wood	White	0.1	QM
061	D	Cabinet Door	Rgt		I	Wood	White	-0.2	QM
Interior Room 004 BR2									
064	A	Ceiling			I	Wall Board	White	-0.3	QM
		back bedroom							
065	C	Ceiling			I	Wall Board	White	-0.4	QM
Interior Room 005 Screen Prch									
068	A	Ceiling			P	Wood	White	-0.2	QM
070	A	Trim Board	Rgt		P	Wood	White	0.4	QM
072	B	Column	Ctr	U column	P	Wood	White	-0.1	QM
071	B	Trim Board	Ctr		P	Wood	White	-0.1	QM
073	B	Support Beam	Ctr		P	Wood	White	>9.9	QM
		underside							
074	C	Floor			P	Wood	Gray	0.1	QM
069	C	Ceiling			P	Wood	White	0.0	QM
Calibration Readings									
001								1.0	TC
002								1.0	TC
003								1.0	TC

ROY CONSULTING GROUP CORPORATION

075
076
077

1.0 TC
0.9 TC
0.9 TC

---- End of Readings ----

ROY CONSULTING GROUP CORPORATION

DISTRIBUTION REPORT OF LEAD PAINT INSPECTION FOR: COL

Inspection Date: 05/09/14 312 Oliver
 Report Date: 5/10/2014
 Abatement Level: 1.0
 Report No. S#02635 - 05/09/14 10:10
 Total Reading Sets: 71
 Job Started: 05/09/14 10:10
 Job Finished: 05/09/14 13:13

Structure	Structure Distribution				
	Total	Positive	Negative	Inconclusive	
Cab Frame	1	0	<0%	1 <100%	0 <0%
Cabinet Door	1	0	<0%	1 <100%	0 <0%
Ceiling	9	0	<0%	9 <100%	0 <0%
Column U column	1	0	<0%	1 <100%	0 <0%
Corner board	5	1	<20%	4 <80%	0 <0%
Crawl Door	3	0	<0%	3 <100%	0 <0%
Crawl Dr Frm	3	0	<0%	3 <100%	0 <0%
Elect Panel	1	0	<0%	1 <100%	0 <0%
Entry Clng	2	0	<0%	2 <100%	0 <0%
Fascia	6	2	<33%	4 <67%	0 <0%
Floor	1	0	<0%	1 <100%	0 <0%
Foundation	1	0	<0%	1 <100%	0 <0%
Frpl Trim	1	0	<0%	1 <100%	0 <0%
Pipe	1	0	<0%	1 <100%	0 <0%
Porch Floor	1	0	<0%	1 <100%	0 <0%
Rafter	1	1	<100%	0 <0%	0 <0%
Railing Balusters	1	0	<0%	1 <100%	0 <0%
Railing Railing	2	0	<0%	2 <100%	0 <0%
Roof Bracket	1	0	<0%	1 <100%	0 <0%
Soffit	6	3	<50%	3 <50%	0 <0%
Stairs Balusters	2	0	<0%	2 <100%	0 <0%
Stairs Newel post	2	0	<0%	2 <100%	0 <0%
Stairs Railing cap	3	0	<0%	3 <100%	0 <0%
Stairs Risers	1	0	<0%	1 <100%	0 <0%
Stairs Stringer	1	0	<0%	1 <100%	0 <0%
Stairs Treads	1	0	<0%	1 <100%	0 <0%
Support Beam	3	1	<33%	2 <67%	0 <0%
Trim Board	4	0	<0%	4 <100%	0 <0%
Wall	6	0	<0%	6 <100%	0 <0%
Inspection Totals:	71	8	< 11%	63 < 89%	0 < 0%

ROY CONSULTING GROUP CORPORATION

APPENDIX C
PHOTOS

ROY CONSULTING GROUP CORPORATION



Photo 1 – House – Side A

ROY CONSULTING GROUP CORPORATION



Photo 2 – House – Side B

ROY CONSULTING GROUP CORPORATION



Photo 3 – House – Side C

ROY CONSULTING GROUP CORPORATION



Photo 2 – House – Side D

ROY CONSULTING GROUP CORPORATION



Photo 5 – House – White Wood Rafters, Soffits/Roof Sheeting, Trim Boards and Corner Boards – Side C (left) and Side B (right)

ROY CONSULTING GROUP CORPORATION




Photo 6 – House – White Wood Siding Under Red Wood/Fiberboard Siding – Side A

ROY CONSULTING GROUP CORPORATION



Photo 7 – First Floor Screened Porch – White Wood Ceiling Support Beams (mostly covered by trim boards that are not coated with lead-based paint) – Side B

ROY CONSULTING GROUP CORPORATION

COUNTY OF LEXINGTON
Procurement Services, 212 South Lake Drive, Suite 503, Lexington, SC 29072
Ph: (803) 785-8319 / Fax: (803) 785-2240

BIDDERS SCHEDULE

BID NUMBER: B15007-07/23/14S

DATE: June 20, 2014

OPENING DATE AND TIME: *July 23, 2014 @ 4:00 PM E.S.T.*

OPENING LOCATION: Lexington County Procurement Office
 County Administration Bldg., 5th floor
 212 South Lake Drive, Suite 503, Lexington SC

PROCUREMENT: Provide all materials, equipment, and labor for **Housing Rehabilitation Project: 312 Oliver Street, West Columbia, SC, 29169** in accordance with the specifications, conditions, and provisions as applicable to this solicitation. All prices are to include all applicable shipping costs.

Delivery Requirements: FOB Destination-Freight Prepaid to Lexington, South Carolina.

ITEM NUMBER	QTY U/I	DESCRIPTION MFG/MDL/STK #	TOTAL PRICE
01	Job	Labor, materials, and equipment for the work on the Housing Rehabilitation Project 312 Oliver Street, West Columbia, SC, 29169 per the specifications and write-up.	\$ _____

TOTAL BID \$ _____

Contract completion within _____ Calendar Days after Receipt of Notice to Proceed

Note: The Rehabilitation Property Write-Up sheets must be completed and attached to your bid.

Bidder Checklist:

Bidder is acknowledging that the following items have been provided with the bid.

_____ Mead & Hunt's Property Work Write-Up (11 Pages)
 Initial

_____ List of References
 Initial

_____ Certificate of Familiarity
 Initial

_____ Acknowledgment of Amendment Number ___ - ___

BIDDER: _____ **SIGNATURE:** _____

The attached Certificate of Familiarity must be returned with bid.

COUNTY OF LEXINGTON

B15007-07/23/14S

HOUSING REHABILITATION PROJECT: 312 OLIVER STREET, WEST COLUMBIA, SC 29169

LIST OF REFERENCES

Please list four (4) references that your company has recently or currently provided similar products and/or services for.

Company Name

Company Name

Representative

Representative

Address

Address

City, State, Zip Code

City, State, Zip Code

Telephone # / Fax #

Telephone # / Fax #

E-Mail Address

E-Mail Address

Company Name

Company Name

Representative

Representative

Address

Address

City, State, Zip Code

City, State, Zip Code

Telephone # / Fax #

Telephone # / Fax #

E-Mail Address

E-Mail Address

COMPANY: _____

AUTHORIZED SIGNATURE: _____

CERTIFICATE OF FAMILIARITY

The undersigned, having fully familiarized himself with the information contained within this entire solicitation and applicable amendments, submits the attached bid and other applicable information to the County, which I verify to be true and correct to the best of my knowledge. I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm or person submitting a bid for the same materials, supplies or equipment, and is in all respects, fair and without collusion or fraud. I agree to abide by all conditions of this bid and certify that I am authorized to sign this bid. *By submission of a signed bid, I certify, under penalties of perjury, that the below company complies with section 12-54-1020(B) of the SC Code of Laws 1976, as amended, relating to payment of any applicable taxes.* I further certify that this bid is good for a period of ninety (90) days, unless otherwise stated.

Company Name as registered

Authorized Signature with the IRS

Correspondence Address

Printed Name

City, State, Zip

Title

Date

Telephone Number Fax Number

CONTRACTOR'S LICENSE # _____

Remittance Address

E-mail Address (PLEASE PRINT)

City, State, Zip

Telephone Number

Toll-Free Number if available

Federal Tax ID Number

SC Sales and Use Tax Number

DOES YOUR FIRM OWE THE COUNTY OF LEXINGTON ANY DELINQUENT TAXES?

___ YES/___ NO

TO: ANGELA M. SEYMOUR, PROCUREMENT OFFICER

FAX: 803-785-2240

E-MAIL: aseymour@lex-co.com

REQUEST FOR WRITTEN RESPONSE TO QUESTIONS

BID NO. B15007-07/23/14S

HOUSING REHABILITATION PROJECT: 312 OLIVER STREET, WEST COLUMBIA, SC 29169

Deadline for questions is July 14, 2014 at 4:00 p.m.

All questions must be submitted in writing.

OFFEROR NAME AND ADDRESS:

DATE: JUNE 20, 2014

CONTACT PERSON:

TELEPHONE #:

FAX #:

(PLEASE REFER TO PAGE AND PARAGRAPH NUMBER WHEREVER POSSIBLE)